Pneumatic Timer Attachment for Eaton's Cutler-Hammer D26 Series Type M 600 VAC Multi-Pole Machine Tool Relays

Adjustable timing range from 0.1 to 180 seconds with repeat accuracy of approximately 10%



On Delay

- Mounts on any 0- to 4-pole D26 relay without latch
- Features DPDT time contacts circuits in each pole must be the same polarity
- Convertible from OFF delay to

782113-21976 D26MTE

ON delay or vi	ce versa	
WESCO Part No.	Mfr.'s Model No.	Operation
792112_27722	D26MTD	Off Delay

Eaton's Cutler-Hammer D26 Series Type M 600 VAC Multi-pole Machine Tool Relay with Pneumatic Timer Attachment

Relay with factory-installed ON delay timer


- Accepts up to 4 D26MPR contacts (convertible — NO or NC) for instantaneous operation
- Timer has DPDT timed contacts and adjustable timing range of 0.1 to 180 seconds
- Note: Contacts not included must be purchased separately

		М
		N
_		

WESCO Part No.	Mfr.'s Model No.	Coil Volts
782113-27715	D26MR005A	120 VAC

Eaton's Cutler-Hammer D80 Series **Pneumatic Timers**

Timers are supplied as complete devices with switch block and solenoid assembled



- · Surface mount with screw terminals
- ON delay operation (field-convertible to OFF delay)
- UL Listed and CSA Certified



WESCO Part No.	Mfr.'s Model No.	Instant Contacts	Coil Volts	
Pneumatic Time (1) NC Timed Co		NO and		
782113-20044	D80NE1A	None	120 VAC	
782113-20046	D80NE1C	N/A	480 VAC	
		(Will Not Accept)		
782113-20038	D80JE10A	None	120 VAC	
Pneumatic Timers with (2) NO and				
(2) NC Timed Co	ntacts			
782113-20047	D80NE2A	N/A	120 VAC	

(Will Not Accept)

Switch Block for Eaton's Cutler-Hammer Eaton's Cutler-Hammer D40 Series **D80 Series Pneumatic Timers**

Used for replacement or conversion of D80 timers

- Use for either timed or instantaneous contacts
- SPDT circuit
- UL Listed and CSA Certified

WESCO Part No. Mfr.'s Model No. Type of Contacts 782113-20027 D80AS1 (1) NO (1) NC

Eaton's Cutler-Hammer D60 Series Adjustable Current-Sensitive Special Purpose Relays

Ideal for conveyor, intermittent conveyor, belt and gear reduction, water-lubricated pump, and batch-process mixing applications





FATON

Sense a pre-set current value and operate a 600 VAC SPDT relay whose contacts may be used in a control circuit

- Provide a continuously adjustable trip-current setting and automatic reset for control of machines
- Suitable for protection of mechanical apparatus from jam-up or other

overloading conditions

WESCO Part No.	Mfr.'s Model No.	Trip Setting Amps	Max. Cont. Amps	Max. Inrush Amps
Module Only				
782113-29595	D60LA	None	None	None
Relay without 1	ransformer			
782113-30079	D60LA0	None	None	None
Relay with Tran	sformer			
782113-30408	D60LA1	0.5-4.5	7	35
782113-31992	D60LA3	2.5-22.5	30	150

Eaton's Cutler-Hammer D64 Series Digital Electronic Ground Fault Special Purpose Relays

Provides reliable protection on resistance grounded and solidly grounded power distribution systems

- Includes built-in self-test and reset circuitry
- Selectable failsafe/ nonfailsafe operation
- Any ground fault deterioration on the system is detected immediately and a trip (or alarm) is activated
- 10mA-6.4A trip current range





Control Power WESCO Part No. Mfr.'s Model No. Relay for Use with Separately Mounted C311CT Current Sensor

782113-91850 D64RPB1 120 VAC Relay with Built-In 1.8" Current Sensor D64RPB3 24-250 VAC/DC 782113-91852

Type R Powered Multi-pole Hermetically-Sealed Relays

Completely assembled panel-mounted. multipole 300V relays for use with industrial control circuits

- Suitable for use in Class 1 Division 2, Groups A, B, C, and other ordinary locations
- Feature convertible contacts and screw terminals
- Provide environmental immunity and low contact resistance
- UL[®] Listed and CSA Certified



WESCO Part No.	Mfr.'s Model No.	Contact Config.		
2-Pole — 24/28	3 VDC Coil			
782113-18226	D40RR11T1	1-NO 1-NC		
4-Pole — 120 V	/AC Coil			
782113-18264	D40RR22A	2-NO 2-NC		
782113-18318	D40RR40A	4-N0		
6-Pole — 120 VAC Coil				
782113-18306	D40RR33A	3-NO 3-NC		
7-Pole 120	VAC Coil			
782113-18312	D40RR34A	3-NO 4-NC		
782113-18336	D40RR43A	4-NO 3-NC		
782113-18354	D40RR52A	5-NO 2-NC		
782113-18366	D40RR61A	6-NO 1-NC		

Component Parts for Eaton's Cutler-Hammer D40 Series Type R Powered Multipole Hermetically-Sealed Relays

All of the components you need to create a panel-mounted, electricallyheld. multi-pole 300V relay for use with industrial control circuits

- Provide environmental immunity and low contact resistance
- Purchase relay base and contact poles separately
- UL Listed and CSA Certified



WESCO Part No	Mfr.'s Model No.

300V Relay Base with Screw Terminals, 120 VAC Coil Pole Only & 4-Pole Spaces (No Contact Poles Included)

13-18378 D40RBA 120 VAC Coil Pole (for replacement only)

782113-18384 D40RCA120 300V Pole with (1) Fixed NO Contact — Green 782113-21394 D40RPA 300V Pole with (1) Fixed NC Contact — Yellow

782113-21395 D40RPB

