

Search Parameters:
[e-Catalog](#) > [Starters](#) > IEC
Starters,IEC

Product #: GPS1BHAA

Short Description: MMS HIGH BK 0.1- 0.16 AMPS

SPECIFICATIONS

| | |
|--|---|
| Category | Manual Motor Starter - SURION |
| Rated Current | 0 A |
| Capacity | GPS1BH - High breaking capacity |
| Instantaneous short-circuit release (A) | 2 |
| Rated power 3 phase motors at 660/690Vac Pn (hp) | 0 hp |
| Rated service short-circuit breaking cap 220/230V Ics kA | 100 |
| Rated service short-circuit breaking cap 400V Ics kA | 50 |
| Rated service short-circuit breaking cap 440V Ics kA | 10 |
| Rated service short-circuit breaking cap 500/525V Ics kA | 100 |
| Rated service short-circuit breaking cap 600V Ics kA | 100 |
| Rated service short-circuit breaking cap 690V Ics kA | 100 |
| Rated ultimate short-circuit breaking cap 220/230V Icu kA | 100 |
| Rated ultimate short-circuit breaking cap 400V Icu kA | 25 |
| Rated ultimate short-circuit breaking cap 440V Icu kA | 25 |
| Rated ultimate short-circuit breaking cap 500/525V Icu kA | 100 |
| Rated ultimate short-circuit breaking cap 600V Icu kA | 100 |
| Rated ultimate short-circuit breaking cap 690V Icu kA | 100 |
| Series | Surion - GPS1B - Thermal and magnetic protection (Ie max 32A) |
| Thermal current setting range (A) | 0 - 0.16 A |
| Trip class IEC 60947-4-1 | Class 10 |
| Weight | 0.792 lb |
| FLA Adjustment Range | 0 - 0.16 A |
| Max. Fuse Size (A) | 0 |
| Max Circuit Breaker Size (A) | 15 |
| Max. Fuse or Circuit Breaker Size - Group Installation (A) | 500 |
| Rated Breaking Capacity @ 277Y/480V - Combination Starter (kA) | 50 |
| Minimum Contactor Size | CL00 or MCO |
| Width | 45.0 mm |
| GSA Compliance | No |
| GO Schedule | CC |
| UPC | 453891501234 |
| List Price | \$110 |



[View Larger](#)

Publications/Resources

[GPS1BHAA](#)

Additional Resources for Manual Motor Starter - SURION

[Control Log : 6-6](#)

- MANUAL MOTOR STARTER T+M PROT. GPS1 0,1-0,16A HIGH BREAKING
 - Pack-5

Products

[Critical Power](#)
[Drives and Controls](#)
[Electrical Distribution](#)
[New Products](#)

Services

[Aftermarket Solutions](#)
[Arc Flash Services](#)
[Critical Power Services](#)
[Drives Services](#)
[Emergency Services](#)
[Engineering Services](#)
[Hydro Services](#)
[Industrial Service Centers](#)
[Inspection Services](#)
[Mechanical Services](#)
[Motor Services](#)
[Power Delivery Services](#)
[Product Registration](#)
[Training](#)
[Transformer Services](#)

Markets

[Commercial](#)
[Data Center](#)
[Health Care](#)
[Industrial](#)
[Mining](#)
[Oil & Gas](#)
[Telecom](#)

Resources

[Publication Library](#)
[Project Assistant 2.0](#)
[Videos](#)
[Social Media & Apps](#)
[Data Visualization](#)
[Counterfeit Beat](#)
[Newsletter Subscriptions](#)
[e-Catalog](#)
[GE Smart Catalog](#)
[BuyLog](#)
[Control Catalog](#)
[Embedded Power Guide](#)
[Tools & Calculators](#)

Your Business

[Contractor](#)
[Distributor](#)
[Electrical Maintenance Org.](#)
[Facilities Operations](#)
[Original Equipment Mfr.](#)
[Consulting / Design Engineer](#)

News & Events

[Where To Buy](#)